

**smart**  
positioning



Welcome to our E-News for May 2011

If you want more information, please call +45 46 900 400 or write [mrp@acte.dk](mailto:mrp@acte.dk)




**Fastrax Integrates GPS and Glonass in a Single GNSS Receiver Module, Introduces the New Fastrax IT600**

*Fastrax Ltd.* today unveiled the Fastrax IT600, including GPS, Russian-based Glonass, Japanese QZSS and SBAS in a single receiver module.

In addition to currently supported Global Navigation Satellite Systems, the IT600 is designed to also support other positioning systems such as European-based Galileo and Chinese Compass/Beidou2 in the future.

[Read here:](#)



### **connectBlue Releases Bluetooth I/O Module with iPhone/Android and Analog I/O Support**

The Bluetooth I/O module OBI 411 implements wireless I/O functionality and is ideal for industrial use. "The new Bluetooth module makes data handling much easier for our industrial customers when they look to remote control any machine, read data presented in an iPhone/iPad, or read and transmit data to a server via a mobile phone," says Rolf Nilsson, CEO of connectBlue.


[Read here:](#)



### **SEIKO Mobile Printing**

Seiko Instruments, a leading expert in thermal printing technology, introduces a compact and lightweight Printer for mobile applications. DPU-S245 comes with a paper width of 2" (58mm) and a fast printing speed of 100mm/s. The lithium ion battery has a low rate of self-discharge. A recharge is usually not necessary when it is in operation. A fully charged battery is sufficient for approx. 20,000 print lines.

[Read here:](#)



### **EAO sets new worldwide standard with shortest stop switch**

The world's first stop switch with a mounting depth of less than 19mm has been developed by EAO – the expert partner for Human Machine Interfaces. The new Series 51 Stop Switch utilizes a mono-block design with a built in contact block to set a new lower standard for industry. The front is dust and watertight to IP65, making it suitable for use in dirty environments where there's a risk of spraying water.

[Read here:](#)



### **Baseplate-cooled 500W AC-DC power supplies from TDK-Lambda**

Power supply expert TDK-Lambda launches the CPFE500 range of baseplate-cooled power supplies capable of providing 500W without the need for fan cooling. With an extended temperature range (-40 to +85°C) this innovative range of AC-DC power supplies will be of particular interest to engineers who need high power but cannot use fans or where the unit is sealed in an enclosure.

[Read here:](#)

Best regards,  
**ACTE A/S**

Vallensbækvej 41, 2605 Brøndby  
E-Mail: [mrp@acte.dk](mailto:mrp@acte.dk) Phone: +45 46 900 400

If you do not want to receive E-News from ACTE in the future,  
Please return this email with "unsubscribe" in the title field.



Part of Lagercrantz Group