



Welcome to our E-News for February 2010

We hope you find products of your interest and if you like more information, please call or write to us at +45 46 900 400 or sales@acte.dk



Save the forest. Please consider the environment before printing this e-mail



Radiocrafts launches a new generation ultra small, low cost, high performance IEEE 802.15.4 modules at 2.4 GHz

Radiocrafts AS, now expands their product line with two new modules, the low cost RC2400 and RC2400HP. These are IEEE 802.15.4 modules designed for ZigBee® PRO, 6LoWPAN and other protocols based on IEEE 802.15.4. A ZigBee PRO compliant stack is available free of charge.


[Read here:](#)



Powder coating and laser lettering

Fischer Elektronik now offers robust and invulnerable powder coatings. In addition to colour and structural options for individual surface designs, powder coatings offer excellent resistance to scratches. Their laser inscriptions are of outstanding quality and ensure good, permanent legibility, even in the case of letter sizes below 1 mm and under the influence of solvents.

[Read here:](#)



Polymer tantalum capacitor with the highest working voltage of 35V has been launched.

SANYO announced that a new product, a tantalum electrolytic capacitor with conductive polymer cathode of the highest working voltage of 35V, which is suitable for ultra slim LCD monitors, has been added to TQC series of POSCAP family. It has achieved the highest voltage of 35 V while maintaining the TQC series features: low-profile and low-ESR.

[Read here:](#)



EAO SERIES 51 FLUSH

The Series 51 is a versatile flush-mounting switch collection which offers a low behind panel depth - just 34mm including the contact block. With a compact mono-block design, they mount faster and easier, and provide more room for additional system components.

[Read here:](#)



High performance Fuse for Photo Voltaic systems Touch safe Fuseholder from Schurter

Schurter introduces the new solar fuse ASO and fuseholder FSO with quick-acting characteristic to protect photovoltaic and similar DC-applications. The new product extend the strategic segment "renewable energy" with a 1000 VDC fuse with a current range from 1 A to 30 A and a touch safe fuseholder FSO.

[Read more:](#)



SII



Med venlig hilsen / Best regards

ACTE A/S

Vallensbækvej 41, 2605 Brøndby E-Mail: sales@acte.dk Phone: +45 46 900 400

If you do not want to receive E-News from ACTE in the future, please return this email with "unsubscribe" in the title field.



Save the forrest. Please consider the environment before printing this e-mail

Lagercrantz
Group ●

Part of Lagercrantz Group